

SHAPING OUR FUTURE SKIES

canso.org

CANSO ACADEMY:

APPLYING RUNWAY SAFETY RECOMMENDATIONS FROM THE GAPPRI REPORT

Key Take Aways for ANSPs

Thursday 7 November

14:00-15:30 CET



MODERATOR



John Wennes

Safety Programme Manager CANSO















GLOBAL ACTION PLAN FOR THE PREVENTION OF RUNWAY INCURSIONS (GAPPRI)

Today's presentation

- Background of development of GAPPRI
- Overview of recommendations applicable to ANSPs
- Making use of GAPPRI
- Next steps
- Questions





PRESENTERS









John Wennes

Safety Programme Manager CANSO

James Lewis

Senior Aviation Consultant Think Research

Tzvetomir Blajev

Director Europe and Global Operational Safety Flight Safety Foundation

Anthony Acfield

Director of Aerodrome Operations (Coordination) Airservices Australia



RUNWAY INCURSION EXAMPLE INCIDENT


RUNWAY INCURSION EXAMPLE INCIDENT

CANSO



B772 / B739, New York JFK USA, 2023





RUNWAY INCURSION EXAMPLE INCIDENT



B772 / B739, New York JFK USA, 2023

The **Probable Cause** of the conflict was determined as "the American Airlines flight 106 crew's surface navigation error due to distractions caused by their performance of concurrent operational tasks during taxi, which resulted in a loss of situational awareness".

Three Contributory Factors were also identified as follows:

- The air traffic control tower team's non-detection of the 777 crew's deviation from taxi instructions while performing concurrent operational tasks;
- The timing of the Runway Status Light System, which activated too late to prevent the 777 crew from crossing the runway hold short line;
- American Airlines' lack of adequate risk controls to prevent concurrent flight crew tasks from leading to distraction, loss of situational awareness and deviation from an authorised taxi clearance.





PRESENTER



James Lewis

Senior Aviation Consultant

Think Research



BACKGROUND TO GAPPRI

GAPPRI BACKGROUND



- Multifaceted group of stakeholders and subject matter experts
- Worked for a year collaborating and comparing best practices
- ☐ 127 Recommendations across six groups
- ☐ 33 focused on ANSPs





GAPPRI BACKGROUND




GAPPRI Volume I

- ☐ Published in December 2023.
- ☐ A set of **synchronised**, **consensus-based** recommendations.
- Best practices and interventions beyond simple regulatory compliance.
- ☐ Addressing both the risk and the resilience.
- A robust roadmap for different time horizons.

GAPPRI Volume II

- ☐ Published in August 2024
- ☐ Guidance and Explanatory Materials (GEMs)
- ☐ Gives **practical information** on how to implement best practices and interventions
- ☐ Provides resources and additional information.



THE PROCESS



Review of existing regional and local recommendations

179 draft recommendations

Recommendations alignment

127 proposed recommendations

Data analysis and review

42 data findings

INPUTS



Existing recommendations and best practices

- EAPPRI 3.0
- **□** US FAA
- ☐ Partners: ACI, IATA, CANSO
- □ Airlines
- Airport Operators
- **□** ANSPs
- ☐ Flight Safety Foundation Learning from all operations principles and approaches

Data Review

- ☐ Two global data sets:
 - Analysis global 6-year sample of 68 accidents and serious incidents.
 - IATA IDX Runway incursions Jan 2020 Dec 2022
- ☐ Two regional data sets:
 - FAA risk and data analysis
 - Eurocontrol (2013-2021) 362 European incidents of severity A and B
- ☐ Various data sources by the participating partners

GAPPRI ANSP RECOMMENDATIONS



ANSP Categories

- [ANSP 1-9] Safety management and support for runway safety teams
- [ANSP 10-16] Safe runway operations communications
- [ANSP 17] Aeronautical information
- [ANSP 18-26] Supporting pilot workload and pressures management
- [ANSP 27-31] Enhanced procedures for safe runway operations
- [ANSP 32-33] Enhanced technology for safe runway operations

GUIDANCE AND EXPLANATORY MATERIALS



1 Recommendation


Why/What: why should this recommendation be followed?

How: What can be done to implement this recommendation?

Reference: What reference material provides more information?



PRESENTER



Tzvetomir Blajev

Director Europe and Global Operational Safety

Flight Safety Foundation




ANSP RECOMMENDATIONS

PHASED PLAN TOWARDS TRIPLE ONE



Recommendation ANSP10

Develop and implement a phased plan for use of one frequency and English language for all communication associated to the operation of a runway. The phased plan should aim at improving the shared situational awareness of all front-line operators and should include realistic and practicable measures that provide adequate level of safety for each of its phases.



4-4-SAFETY



1. Runway Entering or Crossing

Driver: (call sign) (Holding Point / position) REQUEST CROSS / ENTER

RUNWAY (number) [FOR INSPECTION]

ATC: (call sign) CROSS / ENTER RUNWAY (number) [REPORT

VACATED]

ATC: (call sign) NEGATIVE, HOLD SHORT OF (position)

Driver: CROSSING / ENTERING RUNWAY (number) (call sign)

Duisses (sell sing) ON F

Operations on Runway

Driver: (call sign) ON RUNWAY (number)

ATC: (call sign) ROGER, ON RUNWAY (number)

3. Vacating Runway

ATC (call sign) [IMMEDIATELY] VACATE RUNWAY (number), [REPORT

VACATED]

Driver: [IMMEDIATELY] VACATING RUNWAY (number) WILCO (call sign)

Driver: RUNWAY (number) VACATED (call sign)

4. Hold Short of the Runway

ATC (call sign) HOLD SHORT OF (position)


Driver: HOLDING SHORT OF (position) (call sign).

ADVANCED TECHNOLOGIES




Recommendation ANSP28

- a. In cooperation with Aerodrome Operators implement H24 stop bars operation or other lighting systems (e.g. ARIWS) at all active runway holding positions providing an equivalent level of safety commensurate with the level, complexity of the operations and the potential risk of runway incursion.
- b. Ensure that stop bars at runway holding position are controlled by the controller in charge of the runway operations on that runway (Aerodrome controller).
- c. In cooperation with Aerodrome Operators, implement procedures, in line with the applicable Regulations to be followed in case of stop bar unserviceability.



USE OF SAFMAPS ANALYSIS BARRIER MODEL





Effectiveness of 24h "active stopbar handling"

----: 8 RWYIncs / 100000 IFR Dep @ mixed traffic/ high GA

24H: 0,7 RWYIncs / 100000 IFR Dep @ mixed traffic


ADVANCED TECHNOLOGIES



Recommendation ANSP32

Consider the implementation of runway safety nets and emerging technologies that can improve situational awareness of front-line operators.

Runway status lights/RIPSA



Runway Incursion Prevention through Situational Awareness (RIPSA)

GAPPRI BROADER ATTENTION




Recommendations in the other sections, i.e. aerodrome or R&D, that ANSPs should pay attention to:

- ADRII Establish leading and lagging runway safety performance indicators
- **ADR13** Define driver training program requirements. Periodically assess formal manoeuvring area driver permits, training and refresher programmes (including practical training and proficiency checks) against driver training requirements.
- **REG3** Ensure that the content of training materials for pilots, air traffic controllers and drivers working in the manoeuvring area includes runway incursion prevention measures and awareness.
- **REG4 b. -** Conduct periodic reviews of the effectiveness of methods whereby temporary closures or repairs to runways and taxiways, and associated safety-critical infrastructure (e.g., lighting and signage) are promulgated to aircraft operators.
- R&D7 Research visual aids on the airport surface regarding ATC clearance or impediments.



PRESENTER



Anthony Acfield

Director of Aerodrome Operations (Coordination)

Airservices Australia



MAKING USE OF GAPPRI

HOW TO MAKE USE OF GAPPRI



Perform a Gap Analysis

- With the release of GAPPRI volumes I & II now is the perfect time to conduct a Gap Analysis of the recommendations to your operations.
- First engage with the other relevant stakeholders at your airports. Don't try to do things alone!
- Encourage each organization to conduct their own gap analysis
- Then re-group to discuss findings.
- If your airport has a runway safety team then this forum could be suitable to discuss the outputs.



SIMPLE GAPPRI GAP ANALYSIS TOOL



Download GAPPRI Gap Analysis Tool – Developed in collaboration with IATA





CANSO NXGN SMS WG



GAPPRI Recommendations - Gap Analysis Tool v1.0

This tool summarizes the Global Action Plan for the Prevention of Runway Incursion recommendations for ANSPs and facilitates the completion of a gap analysis against your own Standard Operating Procedures and Safety Management System.

Populate the table on the 'Recommendations" tab to undertake the gap analysis. You can add a cross reference to your own local procedure/manual/exposition reference. Refresh the table (right click 'Refresh') on the 'Summary' tab to see a summary of which recommendations you have implemented and any gaps.

Call to Action: For any recommendations where a gap is identified, develop and implement a plan to address these gaps based on your organizational capability and risk appetite.

For feedback or questions on the tool, contact us: safety@canso.org

DETAILED GAPPRI GAP ANALYSIS



Based on Level of Conformance and Status of Action

Fully conform

Partially conform
No further action (not applicable)

Partially conform
No further action (not agreed)

Partially conform
Further action in progress

Partially conform Further action to be taken Do not conform No further action (not applicable)


Do not conform No further action (not agreed)


Do not conform Further action in progress

Do not conform Further action to be taken

DETAILED GAPPRI GAP ANALYSIS









NEXT STEPS



CANSO RUNWAY SAFETY CHECKLIST GAP ANALYSIS

Making use of RSMC

- The CANSO runway safety checklist (RSMC) was created to be a tool for ANSPs and airports to review their runway safety.
- CANSO RSMC covers wider aspects in runway safety including runway incursion, runway excursion / unstable approach, organizational aspects, and Local Runway Safety Teams.
- The format is a set of questions that can ideally be used as part of collaborative engagement between stakeholders at a specific airport (e.g. Local Runway Safety Team).
- In the development of GAPPRI the airport safety subgroup reviewed the checklist to see if there were insights that could be fed into GAPPRI recommendations.
- Following the release of GAPPRI, we have now reversed the process to see if there are additional questions that should be added to the checklist.

Download the RSMC



Clean RSMC


CANSO RUNWAY SAFETY CHECKLIST



| | Questions | | | Y/N/NA | How can you improve this? | | |
|-----|--|--------|--|-------------------------------------|---|--------|------------|
| | LOCAL RUNWAY SAFETY TEAM | | | | | | |
| 1a | Is there a Local Runway Safety Team (LRST) at your loca | ation? | | | | | |
| 1b | If No for 1a, is runway safety formally included in the ϵ_1 forum? | | -f | DI INI\A// | AV INICI IRSIONI | Y/N/NA | How can yo |
| 1c | Which stakeholders and roles participate in the LRST o | | RUNWAY INCURSION Do you use any procedures that may lead to pilot/driver confusion or expectation | | | | now can yo |
| | How frequently does the LRST or similar forum meet p | 33 | and a subsequent runway safety occurrence? For example do you regularly use runways for taxi? | | | | |
| 1d | meetings and ad-hoc meetings for major runway safet to airport operations etc? | | Do you have control of/use of/procedures for ground lighting that may influence runway safety? (E.g. Stop bars, crossing lit stop bars, lit versus unlit runways and | | | | |
| 2a | Does the LRST (or equivalent forum) have the followin | 34 | taxiways) | | | | |
| i | · Local runway safety occurrences | 35a | Do you use Capacity | Enhancing Proce | edures at your aerodrome? | | |
| ii | · Airport works (Planned/Ongoing) | i | · Conditional clea | | , | | |
| iii | · Aerodrome signage, markings and lights | ii | · Intersection dep | artures | | | |
| iv | · Low visibility operations | iii | · Multiple line-ups | s | | | |
| V | · FOD management | iv | · Other Procedure | es | | | |
| | | 35b | | ed individually o | any potential hazards associated with these r in combination and developed appropriate | | |
| | | 36 | If there are Low Visik ANSP involved in the | oility Operationa ir development | I procedures at your aerodrome, was your and/or in the regular review of the een reviewed recently? | | |

CANSO RSMC WITH GAPPRI COMPARISON






IATA ANNUAL SAFETY REPORT







Executive Summary



Interactive Safety Report



Recommendations for Accidents Prevention



References, Definitions and Sources



ACKNOWLEDGEMENTS & QUESTIONS



















Safety@CANSO.org





QUESTIONS AND ANSWERS

ACKNOWLEDGEMENTS



















Safety@CANSO.org

THANK YOU

